




视觉对位平台 · Visual alignment platform



Guangdong Hongbo Electronic Machinery Co., Ltd.

广东宏博电子机械有限公司

智能制造精密传动服务商

ITONGB0


企业愿景

Corporate Vision

成为全球智能装备企业的精密传动产品服务商

BECOMING A PRECISION TRANSMISSION PRODUCT

SERVICE PROVIDER FOR GLOBAL INTELLIGENT EQUIPMENT ENTERPRISES



高效全面的服务 成熟团队的技术 超强的灵活性产品

Efficient and comprehensive service, mature team technology, and highly flexible products

公司简介

Company Profile

广东宏博电子机械有限公司位于东莞五金机械名镇—长安，是一家集生产研发技术销售并代理国际知名品牌的高新技术企业。

公司从2014年进入市场，多年来一直深耕智能制造自动化设备领域，为客户提供精密核心传动产品的配套供应，节省人力物力时间成本，已被客户定为购买品牌之一，同时配套设备出口国外，并深受行业客户一致好评！

主营：行星减速机、T型转角换向器、谐波/RV减速器、中空旋转平台、海波齿平台、UVW视觉对位平台、重载平台、凸轮分割器、CNC四轴/五轴转台/卧式转台/分度盘、DD马达、电动夹爪、皮带模组/直线电机/输送机/环型输送机、中型/微型/四大系列马达/变频器；代理：新宝减速机、三协电机

产品广泛应用于航空航天、机器人、3C/5C电子设备，医疗器械设备、新能源设备、LED/电容器/半导体设备，光伏设备、SMT贴片机设备、光学设备、PCB印刷机设备、包装机设备、数空机床等领域.....

Guangdong Hongbo Electronic Machinery Co., Ltd. is located in Chang'an, a famous hardware machinery town in Dongguan. It is a high-tech enterprise that integrates production, research and development technology, sales, and agency of internationally renowned brands.

The company entered the market in 2014 and has been deeply involved in the field of intelligent manufacturing automation equipment for many years. It provides customers with supporting supply of precision core transmission products, saving manpower, material resources, time and costs. It has been designated as one of the purchasing brands by customers, and the supporting equipment is exported overseas, receiving unanimous praise from industry customers!

Main products: planetary reducer, T-shaped angle commutator, harmonic/RV reducer, hollow rotating platform, wave tooth platform, UVW visual alignment platform, heavy-duty platform, cam splitter, CNC four axis/five axis turntable/horizontal turntable/indexing plate, DD motor, electric gripper, belt module/linear motor/conveyor/ring conveyor, medium/micro/four series motor/frequency converter; Agent: Xinbao reducer, Sanxie motor

Our products are widely used in aerospace, robotics, 3C/5C electronic equipment, medical equipment, new energy equipment, LED/capacitor/semiconductor equipment, photovoltaic equipment, SMT mounting machine equipment, optical equipment, PCB printing machine equipment, packaging machine equipment, digital machine tools and other fields

成立于2014年

10年企业值得信赖

国家高新企业

获得国家多项先进高新企业证书

HONGBO

宏博在精密核心传动产品领域的第一个十年里，风雨兼程，经历了无数的挫折和困难，仍执着梦想踏实向前，非常感恩感谢每一位合作伙伴和客户的信任与支持！

宏博下一个十年，将持续保持创业初心，更加坚定前行的步伐，同时也积累了丰富产品经验和品牌力量、将以更好更认真的态度，更高的品质服务与技术创新方案来满足客户的需求，期待有您们携手同行！

Hongbo's first decade in the field of precision core transmission products, through numerous setbacks and difficulties, but still persistent dream down-to-earth forward, very grateful to each partner and customer's trust and support!

For the next decade, Hongbo will continue to maintain its entrepreneurial spirit and forge ahead more firmly. At the same time, it has accumulated rich product experience and brand strength, and will take it better and more seriously, higher quality service and technical innovation to meet the needs of customers, look forward to have you go hand in hand!





智能制造精密传动产品服务商

INTELLIGENT MANUFACTURING PRECISION TRANSMISSION PRODUCT SERVICE PROVIDER

—— 总有一种理由让它成为首选 ——

THERE IS ALWAYS A REASON TO MAKE IT THE FIRST CHOICE


HB-N1617-2U



• 产品尺寸规格

产品尺寸(mm)	上面板	160*160
	下面板	160*160
	高度	66
重复定位精度(mm)		±0.002
XY行程(mm)		±5
速度(mm/s)		10
中心旋转角度		±5°
螺杆		0602
平面度(mm)		±0.25
水平动载荷(kg)		30
自重(KG)		约4.0
材料		铝合金
电机		步进电机

尺寸图




HB-N2020-2U



· 产品尺寸规格

产品尺寸 (mm)	上面板	200*200
	下面板	200*200
	高度	66
重复定位精度 (mm)		±0.002
XY行程 (mm)		±10
速度 (mm/s)		10
中心旋转角度		±8°
螺杆		0602
平面度 (mm)		±0.025
水平动载荷 (kg)		20
自重 (KG)		约5.5
材料		铝合金
电机		步进电机

尺寸图




HB-N2525-3U




产品尺寸规格

产品尺寸(mm)	上面板	250*250
	下面板	250*250
	高度	90
重复定位精度(mm)		±0.003
XY行程(mm)		±10
速度(mm/s)		10
中心旋转角度		±5.5°
螺杆		0802
平面度(mm)		±0.025
水平动载荷(kg)		60
自重(KG)		约7
材料		铝合金
电机		步进电机

尺寸图






HB-N3535-5U



• 产品尺寸规格

产品尺寸(mm)	上面板	350*350
	下面板	350*350
	高度	100
重复定位精度(mm)		±0.005
XY行程(mm)		±10
速度(mm/s)		10
中心旋转角度		±3°
螺杆		1602
平面度(mm)		±0.03
水平动载荷(kg)		65
自重(KG)		约18
材料		铝合金
电机		步进电机

尺寸图




HB-N3538-3U



产品尺寸规格

产品尺寸(mm)	上面板	350*380
	下面板	350*380
	高度	110
重复定位精度(mm)		±0.003
XY行程(mm)		±20
速度(mm/s)		10
中心旋转角度		±8°
螺杆		1602
平面度(mm)		±0.025
水平动载荷(kg)		50
自重(KG)		约21
材料		铝合金
电机		步进电机

尺寸图




HB-N4545-3U



• 产品尺寸规格

产品尺寸(mm)	上面板	450*450
	下面板	450*450
	高度	115
重复定位精度(mm)		±0.003
XY行程(mm)		±10
速度(mm/s)		10
中心旋转角度		±5°
螺杆		1602
平面度(mm)		±0.025
水平动载荷(kg)		50
自重(KG)		约32
材料		铝合金
电机		步进电机

尺寸图






HB-N4560-3U



• 产品尺寸规格

产品尺寸(mm)	上面板	600*450
	下面板	600*450
	高度	115
重复定位精度(mm)		±0.003
XY行程(mm)		±10
速度(mm/s)		10
中心旋转角度		±3°
螺杆		1602
平面度(mm)		±0.03
水平动载荷(kg)		50
自重(KG)		约37
材料		铝合金
电机		步进电机

尺寸图





HB-N4590-5U



• 产品尺寸规格

产品尺寸(mm)	上面板	450*900
	下面板	450*900
	高度	129
重复定位精度(mm)		±0.005
XY行程(mm)		±20
速度(mm/s)		10
中心旋转角度		±3°
螺杆		1602
平面度(mm)		±0.025
水平动载荷(kg)		120
自重(KG)		约59
材料		铝合金
电机		步进电机

尺寸图




HB-N5070-3U



• 产品尺寸规格

产品尺寸(mm)	上面板	700*500
	下面板	697*497
	高度	115
重复定位精度(mm)		±0.003
XY行程(mm)		±10
速度(mm/s)		10
中心旋转角度		±3°
螺杆		1602
平面度(mm)		±0.025
水平动载荷(kg)		120
自重(KG)		约59
材料		铝合金
电机		步进电机

尺寸图




HB-N8062-28564U-1U



产品尺寸规格

产品尺寸(mm)	上面板	800*620
	下面板	850*645
	高度	110
重复定位精度(mm)		±0.001
XY行程(mm)		±12
中心旋转角度		±2°
螺杆		1602
平面度(mm)		±0.025
水平动载荷(kg)		60
自重(KG)		约41
材料		铝合金
电机		台达100W伺服

尺寸图




HB-4N1025-975-3U



• 产品尺寸规格

	上面板	1025*975
产品尺寸(mm)	下面板	1025*975
	高度	130
重复定位精度(mm)		±0.003
XY行程(mm)		±10
中心旋转角度		±1.6°
螺杆		1602
平面度(mm)		±0.05
水平动载荷(kg)		200
自重(KG)		约80
材料		铝合金
电机		57框步进电机4台

尺寸图




HB-N180062-5U




• 产品尺寸规格

产品尺寸(mm)	上面板	1800*620
	下面板	1800*620
	高度	160
重复定位精度(mm)		±0.005
XY行程(mm)		±40
速度(mm/s)		10
中心旋转角度		±3°
螺杆		1602
平面度(mm)		±0.25
水平动载荷(kg)		200
自重(KG)		约190
材料		铝合金
电机		步进电机

尺寸图





HB-MZC-3075




• 产品尺寸规格

产品尺寸(mm)	下面板	130*130
	高度	92
重复定位精度(mm)	*	
XY行程(mm)	±24	
速度(mm/s)	*	
螺杆	*	
平面度(mm)	±0.05	
水平动载荷(kg)	120	
自重(KG)	约3	
材料	铝合金	
电机	*	

尺寸图




HB-MZZ-3075




• 产品尺寸规格

产品尺寸(mm)	下面板	220*130
	高度	92
重复定位精度(mm)		±0.003
XY行程(mm)		±12
速度(mm/s)		10
螺杆		1602
垂直度(mm)		±0.01
直线度(mm)		±0.003
平面度(mm)		±0.05
水平动载荷(kg)		120
自重(KG)		约7
材料		铝合金
电机		57框步进电机

尺寸图






HB-XYQ120-3U



• 产品尺寸规格

产品尺寸 (mm)	上面板 $\phi 119$	
	下面板	120*120
	高度	60
重复定位精度 (mm)	± 0.003	
XY行程 (mm)	± 12	
速度 (mm/s)	10	
中心旋转角度	$\pm 10^\circ$	
螺杆	0601	
平面度 (mm)	± 0.025	
水平动载荷 (kg)	25	
自重 (KG)	约4	
材料	铝合金	
电机	步进电机	

尺寸图





HB-Z50-W3619

• 产品尺寸规格

产品尺寸 (mm)	上面板	360*190
	下面板	360*190
	高度	154
重复定位精度 (mm)		±0.01
行程 (mm)		50
速度 (mm/s)		5
螺杆		1202
运动平行度 (mm)		±0.04
额定载荷 (kg)		30
自重 (KG)		约18
材料		铝合金
电机		制动步进马达



尺寸图





更多产品资讯扫码关注



广东宏博电子机械有限公司 易正傳動國際有限公司（台灣）

GUANGDONG HONGBO ELECTRONIC MACHINERY CO., LTD.

Tel: +86 (769) 82586566 85398116

Fax: +86 (769) 85586959

E_mail: gd_hongbo@163.com

Web: www.gdhongbo.com



本目录内容会持续更新产品，更多产品详细资讯请与公司业务联系

The contents of this catalog will continue to update products,
please contact the company's business for more product details.